

2671 P-9

PHOTOENERGY TRANSDUCTION IN HALOBACTERIUM HALOBIIUM

FINAL TECHNICAL REPORT

Principal Investigators:

Walther Stoeckenius and Roberto A. Bogomolni

July 1, 1975 through October 31, 1985

The Regents of The University of California

Contracts and Grants Office

145 Irving Street

San Francisco, CA 94143

Grant Number NSG-7151

(NASA-CR-176673) PHOTOENERGY TRANSDUCTION
IN HALOBACTERIUM HALOBIIUM Final Report, 1
Jul. 1975 - 31 Oct. 1985 (California Univ.)
9 p HC A02/MF A01

CSCL 06C

G3/51

N86-25970

Unclas

43049

FINAL TECHNICAL REPORT

Summary of Project. This grant was awarded to study the structure and function of a rhodopsin-like pigment bacteriorhodopsin (bR), which we had discovered in cell membranes of the extreme halophile Halobacterium halobium and isolated in pure form. Its function was shown to be that of a light-energy transducer, which generates an electrochemical potential across the cell membrane, by translocating protons from the cytoplasm to the outside medium. The cell then uses this gradient to drive other metabolic processes and locomotion.

Under this grant we spectroscopically characterized intermediates which appear in the cyclic photoreaction that drives the proton translocation. For this we established time-resolved absorption spectroscopy which covered the time-range from 10^{-7} to 10^0 s. For higher time resolution and resonance Raman experiments we collaborated with other groups. We established that the Schiff base which links the chromophore retinal to the protein undergoes a transient deprotonation during the photocycle, and also an all-trans to 13-cis isomerization. We further showed that after deprotonation of the Schiff base, a proton is ejected from the external side and later one proton taken up on the cytoplasmic side of the transmembrane protein, bR. We have also kinetically resolved the charge translocation in membrane monolayers and multilayers placed between electrodes. We have determined the angle between the chromophore transition movement and the plane of the membrane and shown that there is little if any change during the photoreaction cycle.

Bacteriorhodopsin occurs in the form of a crystalline two-dimensional lattice in the plasma membrane, which allows determination of its structure with near atomic resolution. Apparently, its polypeptide chain crosses the membrane seven times in α -helical configuration. We have used reconstitution of bR from the opsin and

retinal with one or the other component deuterated to obtain localization of retinal in the structure by neutron diffraction. It showed the β -ionone ring in the center of the membrane profile. The in-plane localization was ambiguous and has recently been superseded as a result of similar experiments carried out with the far superior neutron source available at Grenoble. In collaboration with R. Stroud, we have determined that an earlier determination of the binding site in the amino acid sequence of bR was erroneous and that the ϵ -amino group of Lys 216 is the correct site. This collaboration also led to a higher resolution structure which limited the possible assignments of amino acid sequence to the rod-like structures seen in the structural model.

Based on these data, we have developed a model for the proton translocation process, in which the isomerization of the retinal Schiff base decreases its pK to drive the proton off and simultaneously changes the connectivity from the cytoplasmic surface to the external surface. Proton conduction is assumed to occur via transmembrane chains of hydrogen-bonded groups. We have tried to follow the change in accessibility of the Schiff base using nanosecond electron beam pulses to rapidly reduce the Schiff base and stably link it to the protein. We further hoped to disprove conclusively a postulated transient change in the Schiff base linkage from Lys 41 to 216 in the photocycle. These experiments, however, proved so time-consuming and costly that they did not progress beyond a feasibility study.

We have further investigated the stoichiometry of proton pumping in intact cells and the effect of the light-generated electrochemical potential on the kinetics of the photoreaction cycle and the synthesis of ATP. The latter experiments yielded strong evidence that in addition to a classical chemi-osmotic mechanism, a more direct energy-coupling must exist.

Finally, we have used the techniques developed for the study of H. halobium to investigate the occurrence of bacteriorhodopsin and similar pigments in isolates from several natural sources, mainly the southern Sinai coast, the western Sahara and Baja California. Photoactive pigments similar or identical to bR or the closely related light-driven chloride pump halorhodopsin (hR) were found in many. For some, we have also demonstrated the corresponding light-driven ion movements and ATP-synthesis. In addition, similar pigments with a much slower photocycle were observed, which are apparently similar to the recently discovered sensory bacterial rhodopsins, which mediate phototactic responses.

BIBLIOGRAPHY

- Bivin, D.B., and W. Stoeckenius. 1986. Photoactive retinal pigments in haloalkaliphilic bacteria. J. Gen. Microbiol. (in press).
- Bogomolni, R. A. 1977. Light energy conservation processes in Halobacterium halobium cells. Fed. Proc. 36:1833-1839.
- Bogomolni, R. A. 1984. Photochemical reactions of halorhodopsin and slow-rhodopsin. In: Information and Energy Transduction in Biological Membranes. Bolis, C. L., J. Helmreich, E, and H. Passow, editors. Alan R. Liss, Inc., New York. 5-12.
- Bogomolni, R. A., R. A. Baker, R. H. Lozier, and W. Stoeckenius. 1976. Light-driven proton translocations in Halobacterium halobium. Biochim. Biophys. Acta. 440:68-88.
- Bogomolni, R. A., R. A. Baker, R. H. Lozier, and W. Stoeckenius. 1980. Action spectrum and quantum efficiency for proton pumping in Halobacterium halobium. Biochemistry USA. 19:2152-2159.
- Bogomolni, R. A., and J. L. Spudich. 1982. Identification of a third rhodopsin-like

- pigment in phototactic Halobacterium halobium. Proc. Natl. Acad. Sci. USA. 79:6250-6254.
- Bogomolni, R. A., L. Stubbs, and J. K. Lanyi. 1978. Illumination-dependent changes in the intrinsic fluorescence of bacteriorhodopsin. Biochemistry USA. 17:1037-1041.
- Bogomolni, R. A., M. E. Taylor, and W. Stoeckenius. 1984. Reconstitution of purified halorhodopsin. Proc. Natl. Acad. Sci. USA. 81:5408-5411.
- Bogomolni, R. A., and H. J. Weber. 1982. Assay of pigment P588 and its discrimination from bacteriorhodopsin by flash spectroscopy techniques. Methods Enzymol. 88:434-439.
- Casadio, R., H. Gutowitz, P. Mowery, M. Taylor, and W. Stoeckenius. 1980. Light-dark adaptation of bacteriorhodopsin in Triton-treated purple membrane. Biochim. Biophys. Acta. 590:13-23.
- Casadio, R., and W. Stoeckenius. 1980. Effect of protein-protein interaction on light adaptation of bacteriorhodopsin. Biochemistry USA. 19:3374-3381.
- Druckmann, S., R. Renthal, M. Ottolenghi, and W. Stoeckenius. 1984. The radiolytic reduction of the Schiff base in bacteriorhodopsin. Photochem. Photobiol. 40:647-651.
- Helgerson, S. L., M. K. Mathew, D. B. Bivin, P. K. Wolber, E. Heinz, and W. Stoeckenius. 1985. Coupling between the bacteriorhodopsin photocycle and the protonmotive force in Halobacterium halobium cell envelope vesicles. III. Time-resolved increase in the transmembrane electric potential and modeling of the associated ion fluxes. Biophys. J. 48:709-719.
- Helgerson, S. L., and W. Stoeckenius. 1985. Transient proton inflows during illumination of anaerobic Halobacterium halobium cells. Arch. Biochem. Biophys. 241:616-627.
- Hwang, S. B., J. I. Korenbrot, and W. Stoeckenius. 1977. Structural and spectroscopic characteristics of bacteriorhodopsin in air-water interface films. J. Membrane

Biol. 36:115-135.

- Hwang, S. B., J. I. Korenbrot, and W. Stoeckenius. 1977. Transient photovoltages generated by charge displacements in intermediates of the bacteriorhodopsin photoreaction cycle. In: Bioenergetics of Membranes. Packer, L., C. Papageorgiou, G. and A. Trebst, editors. Elsevier/North-Holland Biomedical Press, Amsterdam. 137-147.
- Hwang, S. B., and W. Stoeckenius. 1977. Purple membrane vesicles: Morphology and proton translocation. J. Membrane Biol. 33:325-350.
- Hwang, S. B., Y. W. Tseng, and W. Stoeckenius. 1981. Spontaneous aggregation of bacteriorhodopsin in brown membrane. Photochem. Photobiol. 33:419-427.
- Javor, B., C. Requadt, and W. Stoeckenius. 1982. Box-shaped halophilic bacteria. J. Bacteriol. 151:1532-1542.
- Jost, P. C., D. A. McMillen, W. D. Morgan, and W. Stoeckenius. 1978. Lipid-protein interactions in the purple membrane. In: Light Transducing Membranes: Structure, Function, and Evolution. Deamer, D. W., editor. Academic Press, New York. 141-155.
- Katre, N. V., P. K. Wolber, W. Stoeckenius, and R. M. Stroud. 1981. Attachment site(s) of retinal in bacteriorhodopsin. Proc. Natl. Acad. Sci. USA. 78:4068-4072.
- Kimura, Y., A. Ikegami, and W. Stoeckenius. 1984. Salt and pH-dependent changes of the purple membrane absorption spectrum. Evidence for changes in conformation of the protein. Photochem. Photobiol. 40:641-646.
- King, G. I., P. C. Mowery, W. Stoeckenius, H. L. Crespi, and B. P. Schoenborn. 1980. Location of the chromophore in bacteriorhodopsin. Proc. Natl. Acad. Sci. USA. 77:4726-4730.
- King, G. I., W. Stoeckenius, H. L. Crespi, and B. P. Schoenborn. 1979. The location of retinal in the purple membrane profile by neutron diffraction. J. Mol. Biol. 130:395-404.

- Kouyama, T., R. A. Bogomolni, and W. Stoeckenius. 1985. Photoconversion from the light-adapted to the dark-adapted state of bacteriorhodopsin. Biophys. J. 48:201-208.
- Lozier, R. H., Q. Chae, P. C. Mowery, and W. Stoeckenius. 1978. Flash photolysis studies of bacteriorhodopsin species formed at extreme low pH. In: Energetics and Structure of Halophilic Microorganisms. Caplan, S. R., and M. Ginzburg, editors. Elsevier/North-Holland Biomedical Press, New York. 297-301.
- Lozier, R. H., and W. Niederberger. 1977. The photochemical cycle of bacteriorhodopsin. Fed. Proc. 36:1805-1809.
- Lozier, R. H., W. Niederberger, R. A. Bogomolni, S. B. Hwang, and W. Stoeckenius. 1976. Kinetics and stoichiometry of light-induced proton release and uptake from purple membrane fragments, Halobacterium halobium cell envelopes, and phospholipid vesicles containing oriented purple membrane. Biochim. Biophys. Acta. 440:545-556.
- Lozier, R. H., W. Niederberger, M. Ottolenghi, G. Sivorinovsky, and W. Stoeckenius. 1978. On the photocycles of light- and dark-adapted bacteriorhodopsin. In: Energetics and Structure of Halophilic Microorganisms. Caplan, S. R., and M. Ginzburg, editors. Elsevier/North-Holland Biomedical Press, New York. 123-141.
- Lozier, R. H., and L. A. Parodi. 1984. Bacteriorhodopsin: Photocycle and stoichiometry. In: Information and Energy Transduction in Biological Membranes. Helmreich, E. J., editor. Alan R. Liss, New York. 39-50.
- Mowery, P. C., R. H. Lozier, Q. Chae, Y. -W. Tseng, M. Taylor, and W. Stoeckenius. 1979. Effect of acid pH on the absorption spectra and photoreactions of bacteriorhodopsin. Biochemistry USA. 18:4100-4107.
- Mowery, P. C., and W. Stoeckenius. 1981. Photoisomerization of the chromophore in bacteriorhodopsin during the proton pumping photocycle. Biochemistry USA. 20:2302-2306.

- Nagle, J. F., L. A. Parodi, and R. H. Lozier. 1982. Procedure for testing kinetic models of the photocycle of bacteriorhodopsin. Biophys. J. 38:161-174.
- Parodi, L. A., R. H. Lozier, S. M. Bhattacharjee, and J. F. Nagle. 1984. Testing kinetic models for the bacteriorhodopsin photocycle: II. Inclusion of an O to M backreaction. Photochem. Photobiol. 40:501-512.
- Scherrer, P., and W. Stoeckenius. 1984. Selective nitration of tyrosine 26 and 64 in bacteriorhodopsin with tetranitromethane. Biochemistry USA. 23:6195-6202.
- Scherrer, P., and W. Stoeckenius. 1985. Effects of tyrosine 26 and 64 nitration on the photoreactions of bacteriorhodopsin. Biochemistry. 24:7733-7740.
- Spudich, E. N., R. A. Bogomolni, and J. L. Spudich. 1983. Genetic and biochemical resolution of the chromophoric polypeptide of halorhodopsin. Biochem. Biophys. Res. Comm. 112:332-338.
- Spudich, J. L., and R. A. Bogomolni. 1983. Spectroscopic discrimination of the three rhodopsinlike pigments in Halobacterium halobium membranes. Biophys. J. 43:243-246.
- Stoeckenius, W. 1977. Light energy transduction by the purple membrane of halophilic bacteria. Fed. Proc. 36:1797-1798.
- Stoeckenius, W. 1978. Bioenergetic mechanisms in halobacteria. In: Energetics and Structure of Halophilic Microorganisms. Caplan, S. R., and M. Ginzburg, editors. Elsevier/North Holland Biomedical Press, Amsterdam. 185-200.
- Stoeckenius, W. 1978. Speculations about the evolution of halobacteria and of chemiosmotic mechanisms. In: Light Transducing Membranes: Structure, Function, and Evolution. Deamer, D. W., editor. Academic Press, New York. 127-140.
- Stoeckenius, W. 1979. A model for the function of bacteriorhodopsin. In: Membrane Transduction Mechanisms. Cone, R. A., and E. Dowling, J, editors. Raven Press, New York. 39-47.
- Stoeckenius, W. 1981. Walsby's square bacterium: Fine structure of an orthogonal

procaryote. J. Bacteriol. 148:352-360.

Stoeckenius, W. 1985. The rhodopsin-like pigments of halobacteria: Light-energy and signal transducers in an archaebacterium. Trends Biochem. Sci. 10:483-486.

Stoeckenius, W., D. Bivin, and K. McGinnis. 1985. Photoactive pigments in halobacteria from the Gavish Sabkha. In: Ecological Studies 53, Hypersaline Ecosystems: The Gavish Sabkha. Friedman, G. M., and E. Krumbein, W, editors. Springer Verlag, Heidelberg. 288-295.

Stoeckenius, W., and R. A. Bogomolni. 1982. Bacteriorhodopsin and related pigments of halobacteria. Ann. Rev. Biochem. 52:587-615.

Stoeckenius, W., and R. Casadio. 1979. Dissociation and reconstitution of purple membrane. In: Membrane Bioenergetics. Lee, C. P., G. Schatz, and L. Ernster, editors. Addison-Wesley Publishing Co., Reading, MA. 229-254.

Stoeckenius, W., S. B. Hwang, and J. Korenbrot. 1976. Proton translocation by bacteriorhodopsin in model systems. In: Structure of Biological Membranes. Abrahamsen, S., and I. Pascher, editors. Plenum Publishing Co., New York. 479-496.

Stoeckenius, W., R. H. Lozier, and R. A. Bogomolni. 1979. Bacteriorhodopsin and the purple membrane of halobacteria. Biochim. Biophys. Acta. 505:215-278.

Stoeckenius, W., R. H. Lozier, and W. Niederberger. 1977. Photoreactions of bacteriorhodopsin. Biophys. Struct. Mech. 3:65-68.

Wolber, P. K., and W. Stoeckenius. 1984. Retinal migration during dark reduction of bacteriorhodopsin. Proc. Natl. Acad. Sci. USA. 81:2303-2307.